



ALUMINA (PA) SERIES FOR REFRACTORY MATERIALS |

Model No.	Chemical Composition	Mesh	Particle Size	+325	α -Al ₂ O ₃ %	Oil Absorption Value	Cutting Force	Glossiness	Recommend Applications
	Al ₂ O ₃ ≥%	mesh	D ₅₀ (μm)	%	%				
PA200S	≥99	/	65-75	>65	>95	/	+++++	++	Rough polishing
PA500S	≥99	300	5.5-6.5	<3	>95	/	+++++	++	Rough polishing
PA200	≥99	200	18-25	50-55	>95	10-20	+++++	++	Rough polishing
PA500	≥99	500	13-17	<30	>95	23	+++++	++	
PA800	≥99	800	10-14	<10	>95	17	+++++	++	
PA2000	≥99	2000	~6	<1	95	14.2	+++	+++	Rough polishing
PA21G	≥99	2500	3.5-4.0	<7	95	19.6	+++	+++	Medium polishing
PA20G	≥99	3000	3.0-3.5	<1	95	17.2	+++	+++	Medium polishing
PA5G	≥99	15000	~1.8	<1	<90	/	++	+++++	Fine polishing